

12 2

W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:			WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP		Description of NC Section A	Corrective Action Section B		Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector
				Initial Chief Eng	Action Description Chief Eng				

NOTE: Date & initial all entries

Work Order ID 82595

82595

Page 2

April-03-12 11:26:35 AM

Item ID: D3622-3 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Ball Stud
Start Date: 03/04/2012 Start Qty: 12.00 ***12*** Cust Item ID:
Required Date: 17/04/2012 Req'd Qty: 12.00 ***12*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC8- Inspect parts - second check	0.00							
120									
QC	Memo	0.00							
Quality Control									
130	Identify as per dwg & Stock Location: <u>5558</u>	0.00							
130									
Packaging	Memo	0.00							
Packaging									
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

MF
12-05-14

W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:			WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP		Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
				Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

April-03-12 11:26:42 AM

Page 1

Work Order ID: 82595

82595

Parent Item: D3622-3

D3622-3

Parent Item Name: Ball Stud

Start Date: 03/04/2012

Required Date: 17/04/2012

Start Qty: 12.00

Required Qty: 12.00

Comments: IPP RevA: New issue DD verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M303H0.500		Purchased	No			100	f	0.0915	0.108	1.364211			
M303H0 500									**				
303 HEX BAR .500													

Location

Loc Qty

Loc Code

MAT037

0.0915

109778 ✓

0.0915

629

2 12-5-12


W/O:			WORK ORDER CHANGES					
DATE	STEP		PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector




Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:			WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP		Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
				Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries





**D3622-1 BALL STUD
SHOWN**



**D3622-11 BALL STUD
SHOWN**

PART NUMBER	DIM		DIM C	WEIGHT (LBS)	THREAD D	Ø E	
	A	B				MIN	MAX
D3622-1	0.125	0.563	1.19	0.03	0.3125-24UNF-3A	0.3053	0.3125
D3622-3	0.125	0.563	1.19	0.03	0.1875-32UNF-3A	0.1840	0.1900
D3622-5	0.090	0.900	1.53	0.04	0.3125-24UNF-3A	0.3053	0.3125
D3622-7	0.060	0.330	0.96	0.03	0.3125-24UNF-3A	0.3053	0.3125
D3622-9	0.090	1.160	1.79	0.04	0.3125-24UNF-3A	0.3053	0.3125
D3622-11	0.060	N/A	0.69	0.02	NOT THREADED	0.270	0.300
D3622-13	0.090	0.680	1.31	0.03	0.3125-24UNF-3A	0.3053	0.3125

D3622-X BALL STUD

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 82595.MLJ
12/04/03

NOTES:

- 1) MATERIAL: AISI 303 HEX BAR
REF DART SPEC M303H0.500
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENT P/N D3622-X & B/N PER QSI 044
- 7) WEIGHT: SEE D3622-X TABLE

C	SHEET 1: ADD -5, -7, -9, -11 & -13. ADD D3622-X TABLE.	JPH	10.07.20
B	ADD -3 (SHEET 2)	HS	09.09.18
A	NEW ISSUE	MB	07.04.13
REV.	DESCRIPTION	BY	DATE
DESIGN	JPH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JPH		
CHECKED	JPH	DRAWING NO.	REV. C
MFG. APPR.	JPH	D3622	SHEET 1 OF 1
APPROVED	JPH	TITLE	SCALE
DE APPR.	JPH	BALL STUD	NTS
DATE	10.07.20	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	